

DECKING TERAFEST®














PREMIUM MAX

137 x 22 mm 195 x 22 mm

3,3 kg / lm 3,3 kg / Im KC 4,6 kg / Im



FOREST











PREMIUM

137 x 22 mm \vee

 \leftarrow s \rightarrow 4 m \leftarrow A \rightarrow 2-6 m $\stackrel{\bigcirc}{\text{KG}}$ 3,3 kg/lm

*PLUS - extra brindle finish





PREMIUM









137 x 23 mm ← s → 4 m $\stackrel{\text{O}}{\text{KG}}$ 3,4 kg / lm



NEW **NATUR**

PREMIUM







137 x 23 mm

 \leftarrow s \rightarrow 4 m

KG 3,5 kg / bm

*PLUS - extra brindle finish















TOP MAX

140 x 22 mm 195 x 22 mm

2-6 m

0

3,3 kg / lm 4,6 kg / Im

FENCES/CLADDING/BOARDS



FENCE 120 FOREST PLUS

FENCE 120



 $\begin{picture}(10,0) \put(0,0){\line(0,0){\mathbb{Z}}} \put(0,0$



ECO CLADDING FOREST

ECO



BOARDS SMOOTH/ FOREST



teak











FOREST/ RUSTIC






PROFILES / ACCESSORIES



PREMIUM




MAX =











CLIPS, SCREWS and JOISTS

Stainless steel clips and screws are used to easily fix the boards to the joists. You can choose either aluminium SMART or WPC joists.

Large joist: 50 x 50 x 3000/4000 mm, 2,3 kg/lm Small joist: 50 x 30 x 3000/4000 mm, 1,4 kg/lm

SMART -ALUMINIUM FIXING **SYSTEM**

The SMART system offers all the necessary components to assembly your decking - joists, clips and other fastening material.

Joist 23: 23 x 35 x 4000 mm, 0,39 kg/lm Joist 40: 40 x 42 x 4000 mm, 0,67 kg/lm Joist 75: 75 x 40 x 4000 mm, 1,10 kg/lm

COLOR AGING



AFTER **INSTALLATION**

1 MONTH

25 YEARS

INFORMATION ABOUT THE MATERIAL

WoodPlastic® material combines wood (60%) and a high quality, non toxic HDPE polymer (40%) at just the right ratio. The material is highly resistant toward rain, snow, frost, UV, salt and chlorinated water.









MANUFACTURED IN EUROPEAN UNION

WoodPlastic® products are made in the European Union.



UP TO 25 YEARS WARRANTY

We trust in our Woodplastic® products. That's why we provide a warranty lasting up to 25 years.



ANTI-SLIP SURFACE

WoodPlastic® decking has an anti-slip surface, and unlike wood, it never splinters.



NO PAINTING

WoodPlastic® decking requires no waxing or oil coating.



ECOLOGY — PVC FREE
WoodPlastic* decking do not
contain PVC and are 100 %
recyclable.



















7 REASONS WHY YOU SHOULD CHOOSE DECKING TERAFEST®

YOU SAVE BOTH TIME AND MONEY THANKS TO THE DECKING'S LOW MAINTENANCE REQUIREMENTS. IT REQUIRES NO WAXING OR OIL COATING.

MADE IN THE EUROPEAN UNION.

ENVIRONMENTALLY FRIENDLY, 100% RECYCLABLE MATERIAL, PEFC - ENVIRONMENTAL CERTIFICATION.

THE DECKING HAS A SOLID PROFILE WITH COLOR COVERING THE ENTIRE SURFACE. THE DECKING IS ALSO COLOR RESISTANT MEANING ITS QUALITY WON'T CHANGE OVER TIME.

SAFETY IS GUARANTEED BY THE DECKING'S ANTI-SLIP SURFACE, WHICH NEVER SPLINTERS. A SAFE, HIDDEN FASTENING SYSTEM IS ALSO INCLUDED.

THE PRODUCT IS RESISTANT TOWARD RAIN, SNOW, FROST, UV, SALT AND CHLORINATED WATER.

ITS SURFACE IS ATTRACTIVE AND PLEASANT TO THE TOUCH.

WPC - WOODPLASTIC a.s.

BUKOVANY 181 | 257 41 TÝNEC NAD SÁZAVOU | CZECH REPUBLIC +420 321 001 523 | WPC@WOODPLASTIC.EU | WWW.WOODPLASTIC.EU